DOCKET FILE COPY ORIGINAL



ANN BAVENDER* HARRY F COLF ANNE GOODWIN CRUMP VINCENT J. CURTIS, JR. PAUL J. FELDMAN FRANK B. JAZZO EUGENE M. LAWSON, JR. MITCHELL LAZARUS SUSAN A. MARSHALL HARRY C. MARTIN LEE G. PETRO* RAYMOND J. QUIANZON JAMES P. RILEY ALISON J. SHAPIRO KATHLEEN VICTORY JENNIFER DINE WAGNER* LILIANA E. WARD HOWARD M. WEISS

*NOT ADMITTED IN VIRGINIA

FLETCHER, HEALD & HILDRETH, P.L.C.

ATTORNEYS AT LAW

11th FLOOR, 1300 NORTH 17th STREET ARLINGTON, VIRGINIA 22209-3801

> OFFICE: (703) 812-0400 FAX: (703) 812-0486 www.fhhlaw.com

RICHARD HILDRETH

GEORGE PETRUTSAS

CONSULTANT FOR INTERNATIONAL AND INTERGOVERNMENTAL AFFAIRS SHELDON J. KRYS U. S. AMBASSADOR (ret.)

> OF COUNSEL EDWARD A. CAINE* DONALD J. EVANS FRANCISCO R. MONTERO EDWARD S. O'NEILL' ROBERT M. GURSS*

> > WRITER'S DIRECT

703-812-0453 petro@fhhlaw.com

November 21, 2003

RECEIVED

By Hand Delivery

Marlene H. Dortch, Esquire Secretary Federal Communications Commission 445 12th Street, S.W., Room TW-B204 Washington, D.C. 20554

NOV 2 1 2003

FEDERAL COMMUNICATIONS COMMISSION OFFICE OF THE SECRETARY

RE:

Petition For Rulemaking

Olathe, Colorado - Channel 270C2

Calvary Chapel of Montrose, Petitioner - FRN: 0009-9065-20

Dear Ms. Dortch:

Calvary Chapel of Montrose, by and through its attorneys, hereby submits this Petition for Rulemaking to reserve the above-reference vacant commercial FM allotment for noncommercial use. This Petition is being submitted in accordance with the Public Notice, dated September 30, 2003, requiring that such Petitions be submitted by November 21, 2003 (DA 03-2990).

Should there be any questions regarding this Petition, please contact undersigned counsel.

Lee G. Petro

Counsel for Calvary Chapel of Montrose

Enclosures

cc:

Ms. Rolanda F. Smith, Audio Division Media Bureau - Room 2-B450

No. of Coories 100'd OT9
List APCINE 7m-MB

03-422

ORIGINAL

Before the Federal Communications Commission Washington, D.C. 20554

RECEIVED

NOV 2 1 2003

In the Matter of:	} }		FEDERAL COMMUNICATIONS COMMISSION OFFICE OF THE SECRETARY
Amendment of Section 73.202(b),	}	MB Docket No.:	
Table of Allotments,	}	RM	
FM Broadcast Stations	}		
	}		
(Olathe, Colorado)	_}		
(Olathe, Colorado)	_}		

TO: CHIEF, MEDIA BUREAU

PETITION FOR RULEMAKING

Calvary Chapel of Montrose ("Calvary Chapel"), by and through its attorneys, hereby submits this Petition for Rulemaking to reserve Channel 270C2, Olathe, Colorado, for noncommercial use. This Petition is being submitted in response to the *Public Notice*¹¹ establishing a filing window for reserving existing, vacant commercial FM allotments in accordance with the procedures set forth in the recently-adopted noncommercial FM reservation rules.¹²

As discussed in more detail below, Channel 270C2 at Olathe, Colorado, can be reserved for noncommercial use under the procedures and standards set forth in the *Public Notice* and the *NCE Second Report and Order*. In particular, supporting this Petition is an engineering statement, attached hereto as Exhibit One, demonstrating that no reserved channel can be allotted to serve Olathe, and that the proposed reservation would provide significant first and second NCE service to the proposed primary service contour of the facility in excess of the 10% threshold

Media Bureau Opens Window to Permit Noncommercial Educational Reservation Showings for Certain Vacant FM Allotments, Public Notice, DA 03-2990 (rel. Sept. 30, 2003) (the "Public Notice").

Reexamination of the Comparative Standards for Noncommercial Educational Applicants, Second Report and Order, 18 FCC Rcd 6691 (2003) ("NCE Second Report and Order").

established in the *NCE Second Report and Order*. Therefore, Calvary Chapel respectfully submits that the reservation of Channel 270C2 at Olathe, Colorado, will be in the public interest.

I. BACKGROUND

In 1997, Congress granted authority to the Commission to hold auctions to resolve conflicts among mutually-exclusive new and major change applications.¹³ In response, the Commission determined that NCE entities seeking nonreserved, commercial FM and Television channels would be required to participate in auctions.¹⁴ However, before this rule came into effect, the U.S. Court of Appeals for the D.C. Circuit vacated the requirement for NCE entities to participate in auctions for nonreserved spectrum.¹⁵

In response to the *NPR* decision, and based on the subsequent comments submitted in response to a *Second Further Notice of Proposed Rulemaking*¹⁶, the Commission modified the process by which qualifying NCE entities could reserve noncommercial FM and TV spectrum for noncommercial educational use. Noting that a large number of FM allotments had been made prior to the modification of the noncommercial reservation rules, the Commission indicated that it would establish a window by which those allotments made prior to August 7, 2000, could be reserved, under certain circumstances.¹⁷

¹³ Balanced Budget Act of 1997, Pub. L. No. 105-33, Title III, 111 Stat. 251 (1997).

Reexamination of the Comparative Standards for Noncommercial Educational Applicants, Report and Order, 15 FCC Rcd 7386, 7429 (2000).

¹⁵ NPR v. FCC, 254 F.3d 226, 229 (D.C.Cir. 2001).

Reexamination of the Comparative Standards for Noncommercial Educational Applicants, Second Further Notice of Proposed Rulemaking, 17 FCC Rcd 3833 (2002).

NCE Second Report and Order, ¶ 39.

The Commission established a three-part test to reserve a commercial FM allotment. Specifically, the reservation proponent must demonstrate that:

- (1) maximum class facilities at the proposed allotment site would provide first or second NCE service to at least ten percent of the population within the proposed station's service area and that such population is at least 2000 persons;
- (2) no rule-compliant facility can be authorized at maximum antenna height above average terrain and with maximum effective radiated power on any reserved band channel at four equally-spaced locations with the predicted 60 dBu signal of the maximum same class facility centered on the proposed community of license; and
- (3) no same class rule-compliant facility can be authorized at minimum antenna HAAT and with minimum ERP on any reserved band channel at the city center coordinates for the community of license.¹⁸

A "rule-compliant" facility would be one that would otherwise complies with the technical and spacing requirements for FM facilities, and that would not cause prohibited interference to existing television stations operating on Channel 6.¹⁹ By satisfying these requirements, the proponent will have established that the vacant nonreserved FM allotment is qualified to be reserved solely for noncommercial, educational purposes. *Id.*

II. DISCUSSION

As shown in Exhibit One, Channel 270C2 qualifies for reservation under the Commission's rules. First, 6.88% (4,453 persons) of the population within the proposed service area will be receiving a first NCE service, and 6.29% (4,053 persons) of the population within the proposed service area will be receiving a second NCE service. Combined, these figures are higher than the 10% population threshold established by the Commission.

¹⁸ *Id.* at ¶ 35.

¹⁹ 47 C.F.R. 73.202(1)(a)(i)

In addition, the Engineering Statement also demonstrates that there are no available reserved FM channels that can be utilized to provide NCE service to Olathe, Colorado. First, the Engineering Statement shows that a minimum Class C2 facility (25 kW at 100 meters height above average terrain ("HAAT")) can not be allotted on any reserved FM channel. Moreover, the Engineering Statement also shows that, among 4 equally-spaced points within the proposed 60 dBu contour, a maximum Class C2 facility (50 kW at 150 meters HAAT) could not be allotted on any reserved FM channel.

Therefore, it is clear from the Engineering Statement both that a rule-complaint reserved channel FM allotment can not be made at Olathe, and "that NCE service is in fact needed" at Olathe, ²⁰ In light of this showing, Calvary Chapel respectfully requests that the Commission amend the FM Table of Allotments for Channel 270C2 at Olathe as follows:

Community, State	Current Channel No.	Proposed Channel No.
Olathe, Colorado	270C2	270C2*

Calvary Chapel of Montrose, certifies that it will apply for the requested channel if allotted, and, if successful in obtaining the construction permit for the facility, will construct the station.

²⁰ *Id.* ¶ 33.

III. CONCLUSION

WHEREFORE, in light of the foregoing, Calvary Chapel of Montrose respectfully requests that the Commission grant the petition for rulemaking and reserve Channel 270C2 at Olathe, Colorado for noncommercial use.

The reservation of the allotment would deliver 4,453 persons their first NCE service, 4,053 persons their second NCE service, and would best serve the public interest.

Respectfully submitted,

CALVARY, CHAPEL OF MONTROSE

Harry C. Martin

Lee G. Petro

Fletcher, Heald & Hildreth PLC 1300 North 17th Street, 11th Floor Arlington, Virginia 22209 Telephone - 703-812-0400 Telecopier - 760-812-0486

Its Counsel

November 21, 2003

Engineering Statement In response to MMB Window Closing November 21, 2003 Providing for Conversion of Commercial Allotments to Noncommercial Allotments

Olathe, CO 270C2

Robert Moore November 21, 2003

Public Notice DA 03-2990¹ and Report and Order 18 FCC Rcd 6691² state that three distinct engineering criteria must be satisfied to qualify an allotment. These must demonstrate 1) need for an additional NCE service, 2) unsuitability of any NCE channel at the site at the proposed city of license and 3) unsuitability of any NCE channel at four points near the edge of the protected contour surrounding the city of license. These will be demonstrated in order.

1) Need for Additional NCE Service - NCE Second Report and Order ¶34

The graphic below illustrates the 60 dBu coverage of existing NCE authorizations (shown in black) that intersect the 60 dBu contour of the proposed allotment when it is evaluated at it's allotment site (shown in red). The graphic demonstrates that 13.13 % (8,506 out of 64,769 people) of the population covered by the allotment would be newly served with first or second NCE service NCE programming by conversion of the channel to NCE status. Of these 6.88 % would receive their first NCE service (shown in red) and 6.26 % would receive their second NCE service (shown in green). The remaining population (shown in black) is already served by two NCE stations. This coverage significantly exceeds the 10% and 2,000 people specified in the R&O.

2) City of License Site - NCE Second Report and Order ¶35b

The city coordinates is found at http://www.fcc.gov/mb/audio/bickel/atlas2.html as OLATHE, CO Latitude: N 38 36 17 Longitude: W 107 58 53. A minimum class C2 facility (25 kW at 100 m HAAT) was evaluated at each NCE channel. The entries *IN* and *OUT* represent the incoming and outgoing contour overlap with each specified station, or spacing, as in FMCONT output, is given in km. Only negative results, indicating prohibited contour overlap or spacing violation, are displayed. The existence of even one negative value for a channel shows that that channel is not available at the specified site with the specified facilities. Note that all stations in the CDBS are included here, whether authorized or not, since most, if not all, are included in closed Mx groups, so there is no longer an opportunity for new entrants to file. This table shows that all the NCE channels are unavailable at this site for the specified facility.

3) Cardinal Sites - NCE Second Report and Order ¶35a


Availability was also evaluated at 51 km (52 km class C2 class contour distance - 1 km) of from the city of license site at azimuths of 0, 90, 180 and 270 degrees. In these evaluations, a <u>class maximum facility</u> was utilized. The entries are interpreted as in 2). These tables show that no NCE channels are available at these sites for the specified facility.

Conclusion:

The criterion specified by the Commission is satisfied by this allocation and it can be considered for conversion to an NCE allocation.

¹ Media Bureau Opens Window to Permit Noncommercial Educational Reservation Showings for Certain Vacant FM Allotments, Public Notice, DA 03-2990 (rel. Sept. 30, 2003) (the "Public Notice").

² Reexamination of the Comparative Standards for Noncommercial Educational Applicants, Second Report and Order, 18 FCC Rcd 6691 (2003) ("NCE Second Report and Order").



2) City of License Site

Showing of available NCE channels at Olathe, CO

Latitude 383617	Longitude 1075853 ERP(Kw)	25.000 HAAT(m)	100 COR	AMSL (m)	1812	
Chan Call	*IN * *OUT* Margin	Chan	Call	*IN*	*OUT*	Margin
201 KVOV.C	-33.7 -52.2	211	KTMH.C	-94.3	-84.3	
KAFM.A	-33.3 -68.6		KUTE	-2.8	-11.8	
KAFM	-7.9 -59.4		KLEV	-23.1	-30.4	
KPRH	-92.7 -83.1		KLFV.C	-31.2	-36.0	
202 KAFM.A	-0.1 -15.4	212	KTMH.C	-3.3	-32.1	
KAFM	-6.2		KBUT		-13.1	
KPRH	-142.7 -137.2		KLFV	-63.4	-83.5	
KCIC	-19.0		KLFV.C	-73.5	-89.1	
203 KPRH	-92.7 -83.1	222 182	KVNF		-6.2	
KCIC	-13.0 -72.2	213	KTMH.C	-3.3	-32.1	
KVMT . A	-30.6		KLFV	-23.1	-30.4	
KVMT	-20.7		KLFV.C	-31.2	-36.0	
204 KPRH	-2.9 -30.9		KDNK	-20.5	-44.8	
KCIC	-19.0		KTEI.C	-14.7		
KVMT.A	-30.6		KVNF	100	-6.2	
KVMT	-20.7	214	KTEI.C	-57.5	-71.6	
205 KPRH	-2.9 -30.9		KVNF	-59.1	-57.8	
970312	-29.5 -49.8	215	KTEI.C		-16.1	
KVMT.A	-82.1 -63.9		KVNF	-103.1		
KVMT	-68.3 -54.0	216	KVNF	-59.1	-57.8	
206 KVMT.A	-134.3 -128.2		KWSBFM		-21.7	
KVMT	-117.8 -118.2		KMSA	-31.2	-36.0	
207 KVMT.A	-82.1 -63.9	217	KAME		-6.2	
KVMT	-68.3 -54.0		KMSA	-73.4	-89.1	
KPRN.A	-55.3 -53.3	218	KAME		-6.2	
KPRN	-41.2 -43.3		KMSA	-31.2	-36.0	
KTMH.C	-3.3 -32.1		KOTO	-25.4	-24.9	
208 KVMT.A	-30.6	219	KOTO	-70.9	-79.9	
KVMT	-20.7		KLXV		-3.2	
KPRN.A	-107.9 -106.5		KLXV.C		-0.9	
KPRN	-87.7 -96.4		KJYE	6 S 12 6	Diam's	-21.2
KTMH.C	-3.3 -32.1	220	KOTO	-25.4	-24.9	
209 KVMT.A	-30.6		KTXA	-42.2	-56.6	
KVMT	-20.7		AP220		-28.1	
KPRN.A	-55.3 -53.3		KLXV.C	-38.0	-54.3	
KPRN	-41.2 -43.3		KJYE			-21.2
KTMH.C	-94.3 -84.3					
210 KTMH.C	-144.6 -138.3					

3) Cardinal Sites:

0 degrees:

Showing of available NCE channels at Olathe, CO

Latitude	390351	Longitude 1075853	B ERP(Kw) 50.000	HAAT (m)	150 COR	AMSL (m)	2910	
Chan	Call	*IN* *OUT* N	Margin	Chan	Call	*IN*	*OUT*	Margin
				211	KPRN.A		-16.6	
201	KVOV.C	-57.2 -84.5			KPRN		-7.0	
	KAFM.A	-38.2 -77.5			KTMH.C	-80.5		
	KAFM	-29.3 -73.9			KUTE		-22.1	
	KPRH	-79.2 -85.9			KHCO.C	-5.8		
	KCIC	-4.7			KLFV	-47.0		
202	KVOV.C	-14.9 -14.7			KLFV.C	-56.6	-52.0	
	KAFM. A	-1.9 -15.0		212	KBUT		-32.8	
	KAFM	-11.3			KLFV		-108.0	
	KPRH	-129.0 -146.4			KLFV.C		-114.8	
	KPYR.C	-25.8			KDNK	-4.2		
	CP203	-0.7 -31.6			KVNF	-6.1		
	KCIC	-14.9 -36.6		213	KLFV	-47.0		
203	KPRH	-79.2 -85.9			KLFV.C	-56.6		
	980123	-4.1			KDNK	-44.3		
	CP203	-30.9 -88.2			KTEI.C	-6.5 -6.1		
	KCIC	-30.8 -97.2		214	KVNF KDNK	-4.2		
201	970714	-3.5		214	KTEI.C	-49.3		
204	CP203	-0.7 -31.6			KVNF	-21.8		
	KCIC 970312	-14.9 -36.6 -11.5 -12.4		215	KTEI.C	-6.5		
205	KCIC	-4.7			KVNE		-101.9	
203	970312	-52.9 -82.1		216	KVNF		-39.6	
	KVMT.A	-72.1 -71.1		210	KWSBFM	22.0	-10.1	
	KVMT	-58.6 -61.2			KMSA	-57.6		
	KPRN. A	-16.6		217	KVNF	-6.1		
	KPRN	-7.0			KMSA		-115.6	
206	KCIC	-4.7			980417		-21.9	
200	970312	-11.5 -12.4		218	KVNF	-6.1		
	KVMT.A	-124.7 -130.8			KMSA	-57.6	-53.1	
	KVMT	-108.3 -120.9			KAJX		-19.8	
	KPRN.A	-16.6			KOTO	-16.6	-31.1	
	KPRN	-7.0		219	KOTO	-62.1	-91.3	
207	KVMT.A	-72.1 -71.1			KLXV	-22.6	-19.9	
	KVMT	-58.6 -61.2			KLXV.C	-19.1		
	990318	-B.3			KJYE		-34.3	-38.9
	KLBV.C	-25.6 -24.6		220	KOTO		-31.1	
	KPRN.A	-85.7 -72.7			KLXV	-67.0		
	KPRN	-71.8 -62.8			AP220		-40.7	
208	KPRN.A	-139.1 -135.4			KLXV.C	-62.5	-87.2	
	KPRN	-124.2 -125.6			KJYE		-34.3	-38.9
209	KPRN.A	-85.7 -72.7						
	KPRN	-71.8 -62.8						
	KTMH.C	-80.5 -86.9						
210	KPRN.A	-16.6						
	KPRN	-7.0						
	KTMH.C	-130.8 -147.4						
	KPRE	-3.5						

90 degrees:

Showing of available NCE channels at Olathe, CO

Latitude 383617 Longitude 1072345 ERP(Kw) 50.000 HAAT(m) 150 COR AMSL(m) 2978

Chan	Call	*IN* *OUT* Margin	Chan	Call	*IN* *OUT*	Margin
201	KVOV.C	-15.5 -52.3	213	KTMH.C	-29.0 -19.2	
	KAFM. A	-11.4 -56.2		KBUT	-8.8 -31.3	
	AP201	-7.4		KLFV	-7.1 -16.4	
	KAFM	-48.5		KLFV.C	-16.4 -22.9	
	KPRH	-94.1 -99.0		KDNK	-4.4 -46.6	
2:02	KPRH	-139.9 -158.7		KVNF	-15.2	
203	KPRH	-94.1 -99.0		KWSBFM	-7.1	
	KCIC	-55.7	214	990329	-18.3 -44.7	
204	KPRH	-28.6 -18.8		KTEI.C	-27.7 -61.1	
	KRZA	-0.9		KVNF	-30.9 -50.1	
205	KPRH	-28.6 -18.8		KWSBFM	-7.1	
	970312	-11.6 -50.4	215	KVNF	-64.6 -110.1	
	KVMT.A	-82.3 -86.9		KWSBFM	-26.1 -45.1	
	KVMT	-69.2 -77.5	216	KVNF	-30.9 -50.1	
206	KVMT.A	-133.9 -147.8		KWSBFM	-50.6 -105.1	
	KVMT	-117.4 -138.4		KMSA	-17.0 -23.4	
207	KVMT.A	-82.3 -86.9	217	KVNF	-15.2	
	KVMT	-69.2 -77.5		KWSBFM	-26.1 -45.1	
	990318	-0.6		990903	-27.0 -48.8	
	KPRN.A	-43.5 -42.5		990903	-27.0 -48.8	
	KPRN	-28.5 -31.8		KMSA	-65.3 -84.4	
	KTMH.C	-29.0 -19.2		980417	-11.2	
208	KPRN.A	-98.9 -103.5	218	KVNF	-15.2	
	KPRN	-79.8 -92.8		KWSBFM	-7.1	
	KTMH.C	-29.0 -19.2		KMSA	-17.0 -23.4	
209	KPRN.A	-43.5 -42.5		KAJX	-39.5	
	KPRN	-28.5 -31.8		990903	-33.2	
	KTPS.C	-3.5		KOTO	-3.1	
	KTMH.C	-94.7 -99.7	219	KWSBFM	-7.1	
210	KTMH.C	-140.5 -159.4		KOTO	-41.0 -68.3	
211	KTMH.C	-94.7 -99.7		AP220	-15.6 -30.7	
	KUTE	-12.6	220	KOTO	-3.1	
	KBUT	-8.8 -31.3		KLXV	-24.6 -57.0	
	KLFV	-7.1 -16.4		AP220	-50.4 -90.3	
	KLFV.C	-16.4 -22.9		KLXV.C	-20.7 -54.8	
212	KTMH.C	-29.0 -19.2				
	KBUT	-22.1 -91.5				
	KLFV	-52.5 -77.4				
	KLFV.C	-64.5 -83.9				
	KVNF	-15.2				

180 degrees:

Showing of available NCE channels at Olathe, CO

Latitude 380843 Longitude 1075853 ERP(Kw) 50.000 HAAT(m) 150 COR AMSL(m) 2826

Chan	Call	*IN* *OUT*	Margin	Chan	Call	*IN* *OUT*	Margin
201	AP201	-7.8		210	KTMH.C	-150.5 -155.8	
	KVOV.C	-12.3		211	KTMH.C	-100.2 -95.0	
	KAFM.A	-15.4			KUTE	-40.6 -64.8	
	AP201	-8.6			KTEI.C	-21.8 -20.3	
	KAFM	-6.6		212	KTMH.C	-10.8 -30.2	
	KPRH	-99.1 -94.2			KBUT	-16.6	
202	KPRH	-149.1 -155.1			KLEV	-24.5	
203	KPRH	-99.1 -94.2			KLFV.C	-28.9	
	KCIC	-11.1			KTEI.C	-21.8 -20.3	
	KTDU.C	-34.2		213	KTMH.C	-10.8 -30.2	
	KVMT.A	-36.9 -37.6			KDNK	-4.7	
	KVMT	-35.2 -28.3			KTEI.C	-72.6 -78.4	
204	KPRH	-10.6 -29.3		214	KTEI.C	-115.5 -140.5	
	KVMT . A	-36.9 -37.6			KVNF	-25.5 -28.9	
	KVMT	-35.2 -28.3		215	KTEI.C	-72.6 -78.4	
205	KPRH	-10.6 -29.3			KSJE	-16.2	
	KNMI	-17.3			KVNF	-69.7 -89.2	
	970312	-10.0		216	KTEI.C	-21.8 -20.3	
	KVMT.A	-117.6 -117.0			KVNF	-25.5 -28.5	
	KVMT	-104.6 -107.8			KWSBFM	-0.7 -48.9	
206	KVMT.A	-168.4 -176.6			KOTO	-14.4 -26.3	
	KVMT	-151.9 -167.3		217	KTEI.C	-21.8 -20.3	
207	KVMT.A	-117.6 -117.0			KSUT	-2.7	
	KVMT	-104.6 -107.8			990903	-21.9	
	990505	-29.0			990903	-21.9	
	990318	-20.0 -52.8			KMSA	-28.5	
	990916	-22.4 -33.6			KSJD	-9.4	
	KTCF.C	-5.0	The state of the s		KOTO	-14.4 -26.3	
	KTMH.C	-10.8 -30.2			AP220	-2.1	
208	KVMT.A	-36.9 -37.6		218	KSJD	-70.0	
	KVMT	-35.2 -28.3			KOTO	-73.1 -74.2	
	KPRN.A	-30.9 -44.6			AP220	-2.1	
	KTCF.C	-64.6		219	KSJD	-9.4	
	KPRN	-8.6 -32.3			KTGW	-1.1 -15.4	
	KTMH.C	-10.8 -30.2			KOTO	-118.5 -140.5	
209	KVMT.A	-36.9 -37.6			AP220	-27.2 -47.8	
	KVMT	-35.2 -28.3		220	KOTO	-73.1 -74.2	
	KTCF.C	-5.0			KLXV	-16.7	
	KZMU	-12.8			AP220	-57.0 -107.7	
	KZMU	-12.8			KDUR	-27.0	
	990527	-3.2			KLXV.C	-14.4	
	KTPS.C	-4.5					
	KTMH.C	-100.2 -95.0					

270 degrees:

Showing of available NCE channels at Olathe, CO

Latit	ude 383617	Longitud	ie 10834	01 ERP (Kw)	50.000	HAAT (m)	150	COR	AMSL(m)	2697	
Chan 201	Call KVOV.C		-46.6	Margin		Chan 209	KVE	Call T.A		*OUT* -3.4	ŀ

Marmar	Chan	Call	*IN* *OUT*	Margin	Chan	Call	*IN*	*OUT*	Margin	
RAFM	201	KVOV.C	-20.0 -46.6		209	KVMT . A	-11.1	-3.4		
KPRH		KAFM.A	-26.4 -91.9			KVMT	-9.9			
KCIC		KAFM	-10.3 -87.2			KPRN.A	-45.6	-53.2		
NAFM. A		KPRH	-82.5 -82.2			KPRN	-24.8	-41.9		
KAFM		KCIC	-8.8			KZMU		-37.6		
KAEM	202	KAFM.A	-9.9 -32.2			KZMU		-37.6		
KCIC -19.0 -40.2 KTMH.C -134.4 -143.6 KPRB -82.5 -82.2 211 KPRN.A -0.9 KTMH.C -84.1 -83.4 KVMT.A -11.1 -3.4 KLFV -20.8 -39.1 KLFV.C -25.5 -42.6 KVMT.A -11.1 -3.4 KLFV -20.8 -39.1 KLFV.C -25.5 -42.6 KVMT.A -11.1 -3.4 KLFV -53.4 -98.8 KLFV.C -64.7 -102.3 KLFV.C -64.7 -102.3 KLFV.C -25.5 -42.6 KVMT.A -17.5 -44.1 KLFV.C -25.5 -42.6 KVMT.A -70.2 -75.6 KVMT.A -70.2 -75.6 KVMT.A -14.8 -135.2 KTEI.C -60.4 -82.7 KVMT.A -14.8 -135.2 215 KTEI.C -60.4 -82.7 KVMT.A -70.2 -75.6 KVMT.A -75.8 -100.1 -127.4 KVMF -35.0 -50.1 KVMF -75.8 -10.9 KVMT.A -70.2 -75.6 KVMF -75.8 -10.9 KVMF -75.8 -10.9 KVMT.A -70.2 -75.6 KVMF -75.8 -10.9 KVMF -75.8 -10.9 KVMT.A -70.2 -75.6 KVMF -75.8 -10.9 KVMF -75.8 -10.9 KVMT.A -70.2 -75.6 KVMF -75.8 -10.9 KVMF -75.8 -10.9 KVMT.A -70.2 -75.6 KVMF -75.8 -10.9 KVMF -75.8 -10.9 KVMT -70.2 -75.6 KVMF -75.9 -50.1 KVMF -75.9 -50.1 KVMF -75.9 -70.1 KVMF -75.9 -70.1 KVMF -75.9 -70.1 KVMT -70.2 -75.6 KVMF -75.9 -70.1 KVMF -75.9 -70.1 KVMT -70.2 -75.6 KVMT -70.2 -70.0 KVMT -70.2 -70.0 KVMT -70.2 -70.0			-3.4 -27.5				-84.1	-83.4		
Column		KPRH	-132.5 -142.3		210	KPRN.A	-0.9			
Column		KCIC	-19.0 -44.2			KTMH.C	-134.4	-143.6		
KVMT, A	203		-82.5 -82.2		211	KPRN.A	-0.9			
NVMT		KCIC	-34.9 -104.0			KTMH.C	-84.1	-83.4		
NVMT		KVMT.A	-11.1 -3.4			KLFV	-20.8	-39.1		
Column										
KVMT.A	204				212			-36.5		
KVMT							-53.4			
205 KCIC -8.8										
970312 -15.5 -44.1 KVMT.A -70.2 -75.6 KVMT.A -59.2 -67.8 KPRN.A -0.9 214 KTEI.C -16.1 -22.1 KVMT -100.1 -127.4 KPRN.A -0.9 215 KVMT -75.8 -110.9 KVMT.A -70.2 -75.6 KVMT.A -70.2 -75.6 KVMT.A -70.2 -75.6 KVMT -59.2 -67.8 KVMT -59.2 -67.8 KVMT -59.2 -67.8 KVMT -59.2 -67.8 KVMT -24.8 -41.9 208 KVMT.A -11.1 -3.4 KVMT -9.9 KVMT -78.3 -101.6 KVMT -78.3 -101.6 KLEV.C -25.5 -42.6 KDNK -4.4 -38.4 KTEI.C -16.1 -22.1 KVNF -75.8 -110.9 KVNF -75.8 -10.9 KVNF -75.8 -110.9 KVNF -75.8 -10.9 KVNF -75.8 KVNF -75.8 KVNF -75.8 KVNF -75.8 KVNF -75.8 KVNF -75.8	205				213					
KVMT.A										
KVMT										
KPRN.A										
Column					214					
KVMT.A	206									
KVMT					215					
KPRN.A										
207 KVMT.A -70.2 -75.6 KWSBFM -34.3 KMSA -59.2 -67.8 KMSA -24.7 -41.9 KMSA -45.6 -53.2 217 KMSA -63.7 -101.6 KPRN -24.8 -41.9 218 KMSA -24.7 -41.9 KOTO -26.6 -30.0 KVMT -9.9 219 KOTO -72.9 -90.6 KPRN.A -99.2 -112.9 KDTO -72.9 -90.6 KPRN -78.3 -101.6 220 KOTO -26.6 -30.0 KLXV -27.2 -50.8 AP220 -26.0 KLXV.C -22.9 -48.4					216					
KVMT	207		-70.2 -75.6					-34.3		
KPRN.A -45.6 -53.2 217 KMSA -63.7 -101.6 KPRN -24.8 -41.9 218 KMSA -24.7 -41.9 KVMT.A -11.1 -3.4 KOTO -26.6 -30.0 KVMT -9.9 219 KOTO -72.9 -90.6 KPRN.A -99.2 -112.9 KJYE -3.0 -51.4 KPRN -78.3 -101.6 220 KOTO -26.6 -30.0 KLXV -27.2 -50.8 AP220 -26.0 KLXV.C -22.9 -48.4						KMSA	-24.7	-41.9		
KPRN -24.8 -41.9 218 KMSA -24.7 -41.9 208 KVMT.A -11.1 -3.4 KOTO -26.6 -30.0 KVMT -9.9 219 KOTO -72.9 -90.6 KPRN.A -99.2 -112.9 KJYE -3.0 -51.4 KPRN -78.3 -101.6 220 KOTO -26.6 -30.0 KLXV -27.2 -50.8 AP220 -26.0 KLXV.C -22.9 -48.4		KPRN.A	-45.6 -53.2		217	KMSA	-63.7	-101.6		
208 KVMT.A -11.1 -3.4 KOTO -26.6 -30.0 KVMT -9.9 219 KOTO -72.9 -90.6 KPRN.A -99.2 -112.9 KJYE -3.0 -51.4 KDTO -26.6 -30.0 KLXV.C -27.2 -50.8 AP220 KLXV.C -22.9 -48.4					218		-24.7	-41.9		
KVMT -9.9 KPRN.A -99.2 -112.9 KPRN -78.3 -101.6 KDTO -72.9 -90.6 KJYE -3.0 -51.4 KOTO -26.6 -30.0 KLXV -27.2 -50.8 AP220 -28.0 KLXV.C -22.9 -48.4	208	KVMT.A	-11.1 -3.4			KOTO	-26.6	-30.0		
KPRN.A -99.2 -112.9 KPRN -78.3 -101.6 220 KOTO -26.6 -30.0 KLXV.C -22.9 -48.4					219					
KPRN -78.3 -101.6 220 KOTO -26.6 -30.0 KLXV -27.2 -50.8 AP220 -28.0 KLXV.C -22.9 -48.4							-3.0		-51.4	
KLXV -27.2 -50.8 AP220 -28.0 KLXV.C -22.9 -48.4					220		-26.6	-30.0		
AP220 =26.0 KLXV.C =22.9 =48.4							-27.2			
KLXV.C -22.9 -48.4										
KJYE -3.0 -51.4							-22.9	-48.4		
						KJYE	-3.0		-51.4	